

Message

From: Baker, Lorie [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=73F8A9187DD0460AB3D3B4ABEB1C6026-LBAKER04]
Sent: 9/12/2019 1:02:54 PM
To: [Nonresponsive based on revised scope]@WestonSolutions.com]
Subject: RE: Blades Groundwater Final QA Review Issues "Heads Up" List

I think that should be enough. I'll just remind them that it's cited on the maps so needs to be included in the ref. list.

From: [Nonresponsive based on revised scope]@WestonSolutions.com>
Sent: Thursday, September 12, 2019 9:02 AM
To: Baker, Lorie <Baker.Lorie@epa.gov>
Subject: RE: Blades Groundwater Final QA Review Issues "Heads Up" List

Yes I added it in the last round of updates on 8/19. Its on the Site location map and on the GW plume map

[Nonresponsive based on revised scope]
Principal Project Scientist
Weston Solutions, Inc.

[Nonresponsive based on revised scope]

From: Baker, Lorie [mailto:Baker.Lorie@epa.gov]
Sent: Thursday, September 12, 2019 9:00 AM
To: [Nonresponsive based on revised scope]@WestonSolutions.com>
Subject: RE: Blades Groundwater Final QA Review Issues "Heads Up" List

**** External Email ****

Is it actually cited on the Figures?

From: [Nonresponsive based on revised scope]@WestonSolutions.com>
Sent: Thursday, September 12, 2019 8:59 AM
To: Baker, Lorie <Baker.Lorie@epa.gov>
Subject: RE: Blades Groundwater Final QA Review Issues "Heads Up" List

Ref. 90 is to support the outline of the town of blades on the figures – something they requested.

SO as far as referencing it in the doc record – I suppose anywhere we discuss within or outside the town of blades. Do you want me to go through the annotated doc record and add in where I think appropriate? And then GDIT can concur with that change?

[Nonresponsive based on revised scope]
Principal Project Scientist
Weston Solutions, Inc.

[Nonresponsive based on revised scope]

From: Baker, Lorie [mailto:Baker.Lorie@epa.gov]
Sent: Thursday, September 12, 2019 8:55 AM

To: [Nonresponsive based on revised scope]@WestonSolutions.com>

Subject: RE: Blades Groundwater Final QA Review Issues "Heads Up" List

**** External Email ****

Can you refresh my memory on Ref. 90? Where did you want to add that to the doc record?

From: [Nonresponsive based on revised scope]@WestonSolutions.com>

Sent: Thursday, September 12, 2019 8:16 AM

To: Baker, Lorie <Baker.Lorie@epa.gov>

Subject: RE: Blades Groundwater Final QA Review Issues "Heads Up" List

Ok. I will try and contact the lab again.

[Nonresponsive based on revised scope]

Principal Project Scientist
Weston Solutions, Inc.

[Nonresponsive based on revised scope]

From: Baker, Lorie [mailto:Baker.Lorie@epa.gov]

Sent: Thursday, September 12, 2019 8:10 AM

To: [Nonresponsive based on revised scope]@WestonSolutions.com>

Subject: RE: Blades Groundwater Final QA Review Issues "Heads Up" List

**** External Email ****

[Nonresponsive based on revised scope]

My responses in red below.

From: [Nonresponsive based on revised scope]@WestonSolutions.com>

Sent: Monday, September 09, 2019 10:58 AM

To: Baker, Lorie <Baker.Lorie@epa.gov>

Subject: RE: Blades Groundwater Final QA Review Issues "Heads Up" List

Hi Lorie,

I don't have any issues with their annotated doc record. I have responded to some comments and answered/asked some questions in track changes in comments to the doc record. I also list some below that I feel need to be clarified on how they want us to proceed.

Just some remarks to comments –

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Let me know if you have any questions,

Nonresponsive based on revised scope

Principal Project Scientist
Weston Solutions, Inc.

Nonresponsive based on revised scope

From: Baker, Lorie [<mailto:Baker.Lorie@epa.gov>]

Sent: Monday, September 09, 2019 9:12 AM

To: Nonresponsive based on revised scope <Nonresponsive based on revised scope@WestonSolutions.com>

Subject: RE: Blades Groundwater Final QA Review Issues "Heads Up" List

**** External Email ****

Just go through and make sure we concur, and note any additional references, Ex. 5 Deliberative Process (DP)

From: Nonresponsive based on revised scope [redacted]@WestonSolutions.com>
Sent: Monday, September 09, 2019 9:10 AM
To: Baker, Lorie <Baker.Lorie@epa.gov>
Subject: RE: Blades Groundwater Final QA Review Issues "Heads Up" List

Hey Lorie,

You'd think I'd remember this but, am I supposed to go through and accept the redlined edits? Or just go through and make sure we concur?? I'm looking through now [redacted]

Ex. 5 Deliberative Process (DP)

Nonresponsive based on revised scope [redacted]

Principal Project Scientist
Weston Solutions, Inc.

Nonresponsive based on revised scope [redacted]

From: Baker, Lorie [mailto:Baker.Lorie@epa.gov]
Sent: Wednesday, September 04, 2019 12:04 PM
To: Nonresponsive based on revised scope [redacted]@WestonSolutions.com>
Cc: O'Loughlin, Connor <oloughlin.connor@epa.gov>
Subject: FW: Blades Groundwater Final QA Review Issues "Heads Up" List

**** External Email ****

Nonresponsive based on revised scope [redacted]

Can you take a look and let me know what you think? I don't see anything more we can do with the Final QA review issues, but they haven't really pointed anything out as major issues, so not that concerned with them.

Please take a look at the redlined version and add any info where necessary [redacted] They gave us a date of Oct.3 to get everything back, but it shouldn't take that long to review.

Ex. 5 Deliberative Process (DP)

Thanks!

Lorie

From: Nonresponsive based on revised scope [redacted]@gdit.com>
Sent: Wednesday, September 04, 2019 11:49 AM
To: Baker, Lorie <Baker.Lorie@epa.gov>; Jeng, Terry <Jeng.Terry@epa.gov>
Cc: Wendel, Jennifer <Wendel.Jennifer@epa.gov> [redacted]@mindspring.com [redacted]
Nonresponsive based on revised scope [redacted]@gdit.com>; [redacted]@skeo.com> [redacted]@gdit.com>
Subject: Blades Groundwater Final QA Review Issues "Heads Up" List

Dear Lorie,

GDIT has completed final streamlined QA review of the Blades Groundwater (EPA ID No. DEN000304203) HRS package.

Ex. 5 Deliberative Process (DP)

Also attached is an annotated HRS documentation record showing our suggested edits from final QA review. [redacted]

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

If the Region would like to make any changes to the attached annotated HRS documentation record, figures and/or references, we respectfully request that those changes be submitted to us on or before October 3, 2019, so that we may incorporate them into the HRS package and final QA review deliverable.

If you have any questions or would like to discuss any of the remaining issues, please do not hesitate ask.

Nonresponsive based on revised scope

Environmental Scientist
Federal Civilian Division

6361 Walker Lane, Suite 300
Alexandria, VA 22310

Nonresponsive based on revised scope

www.gdit.com

Working at Home Office: Wednesdays and Thursdays (unless otherwise noted).

GENERAL DYNAMICS
Information Technology

This electronic message transmission contains information from GDIT that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind GDIT to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.